



The Standards Institution of Israel

*License No. 7444
to mark a commodity
with the Standards Mark*

The Standards Institution of Israel in accordance with the powers vested in it by article 11(b) of the Standards law 1953, has licensed :

NETAFIM LTD

To mark with the Standards Mark the following commodities:

**AGRICULTURAL IRRIGATION EQUIPMENT- EMITTERS AND
EMITTING PIPE- SPECIFICATION AND TEST METHODS**

LIST OF TYPES IN ANNEX A

These commodities are produced in conformity with the requirements of the:

Israel Standard No. 1642

This license is valid until 31/12/2014

23/ 6 / 2014

Tel Aviv

Daniel Goldstein
Director General





To: NETAFIM LTD

Commodities: AGRICULTURAL IRRIGATION EQUIPMENT- EMITTERS AND
EMITTING PIPE- SPECIFICATION AND TEST METHODS

- Types:
- 1 . TIRAN. 16 MM
FLOWRATE: 1.05, 1.5, 1.6, 2.0, 4.0, 8.0 L/H
WALL THICKNESS: 0.8, 0.9, 1.0 MM
 - 2 . TIRAN. 16 MM
FLOWRATE: 1.05, 1.5, 1.6, 2.0, 2.1, 4.0, 4.2, 8.0, 8.4 L/H
WALL THICKNESS: 1.2 MM
 - 3 . TIRAN. 17 MM
FLOWRATE: 1.05, 1.5, 1.6, 2.0, 4.0, 8.0 L/H
WALL THICKNESS: 0.8, 0.9, 1.0 MM
 - 4 . TIRAN. 17 MM
FLOWRATE: 1.05, 1.6, 2.0, 2.1, 4.0, 4.2, 8.0, 8.4 L/H
WALL THICKNESS: 1.2 MM
 - 5 . TIRAN. 20 MM
FLOWRATE: 1.05, 1.5, 1.6, 2.0, 4.0, 8.0 L/H
WALL THICKNESS: 1.0 MM
 - 6 . TIRAN. 20 MM
FLOWRATE: 1.05, 1.6, 2.0, 2.1, 4.0, 4.2, 8.0, 8.4 L/H
WALL THICKNESS: 1.2 MM
 - 7 . UNIRAM, UNIBIOLINE, UNITECHLINE 20 MM
FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 1.0, 1.2 MM
 - 8 . UNIRAM, UNIBIOLINE, UNITECHLINE, CNL 20 MM
FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 1.0, 1.2 MM



This license is valid until 31/12/2014

23/ 6 /2014

Tel Aviv

Daniel Goldstein

Daniel Goldstein
Director General



To: NETAFIM LTD

Commodities: AGRICULTURAL IRRIGATION EQUIPMENT- EMITTERS AND
EMITTING PIPE- SPECIFICATION AND TEST METHODS

- Types:
- 9 . UNIRAM, UNIBIOLINE, UNITECHLINE 17 MM
FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 1.0, 1.2 MM
 - 10 . UNIRAM, UNIBIOLINE, UNITECHLINE, CNL 17 MM
FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 1.0, 1.2 MM
 - 11 . UNIRAM, UNIBIOLINE, UNITECHLINE 16 MM
FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 1.0, 1.2 MM
 - 12 . UNIRAM, UNIBIOLINE, UNITECHLINE, CNL 16 MM
FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 1.0, 1.2 MM
 - 13 . DRIPNET PC. 12 MM
FLOWRAATE: 1.0 L/H
 - 14 . DRIPNET PC. 16 MM
FLOWRAATE: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
WALL THICKNESS: 0.31, 0.38, 0.63, 0.90, 1.0 MM
 - 15 . DRIPNET PC 17 MM
FLOWRATE: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
WALL THICKNESS: 0.90, 1.0 MM
 - 16 . DRIPNET PC 20 MM
FLOWRATE: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
WALL THICKNESS: 0.90, 1.0 MM
 - 17 . DRIPNET PC 22 MM
FLOWRATE: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
WALL THICKNESS: 0.31, 0.38, 0.63 MM



This license is valid until 31/12/2014

23/ 6 /2014

Tel Aviv

Daniel Goldstein
Director General



To: NETAFIM LTD

Commodities: AGRICULTURAL IRRIGATION EQUIPMENT- EMITTERS AND
EMITTING PIPE- SPECIFICATION AND TEST METHODS

- Types:
- 18 . DRIPNET PC 2.3 MM
FLOWRATE: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
WALL THICKNESS: 0.90 MM
 - 19 . UNIRAM CNL
PIPE DIAMETERS OF 16,17& 20 MM FLOW 1.25 L/H
PIPE DIAMETERS OF 16,17& 20 MM FLOW 2.0 L/H
PIPE DIAMETERS OF 16,17& 20 MM FLOW 2.9 L/H
PIPE DIAMETERS OF 16,17& 20 MM FLOW 4.4 L/H
 - 20 . TECHLINE CV 16 MM.
FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
 - 21 . TECHLINE CV 17 MM.
FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
 - 22 . TECHLINE CV 20 MM.
FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
 - 23 . BIOLINE AS 16 MM.
FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
 - 24 . BIOLINE AS 17 MM.
FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
 - 25 . BIOLINE AS 20 MM.
FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.



This license is valid until 31/12/2014

23/ 6 /2014

Tel Aviv

Daniel Goldstein

Daniel Goldstein
Director General



To: NETAFIM LTD

Commodities: AGRICULTURAL IRRIGATION EQUIPMENT- EMITTERS AND
EMITTING PIPE- SPECIFICATION AND TEST METHODS

- Types:
- 26 . TECHNET 16 MM.
FLOWRATES: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
 - 27 . DRIPWINE 16 MM.
FLOWRATES: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
 - 28 . DRIPWINE 17 MM.
FLOWRATES: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
 - 29 . DRIPWINE 20 MM.
FLOWRATES: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
 - 30 . UNIWINE 16 MM.
FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
 - 31 . UNIWINE 17 MM.
FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
 - 32 . UNIWINE 20 MM.
FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
 - 33 . LEACH LINE X 16 MM.
FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.



This license is valid until 31/12/2014

23/ 6 /2014

Tel Aviv

Daniel Goldstein
Director General



To: NETAFIM LTD

Commodities: AGRICULTURAL IRRIGATION EQUIPMENT- EMITTERS AND
EMITTING PIPE- SPECIFICATION AND TEST METHODS

- Types:
- 34 . LEACH LINE X 17 MM.
FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
 - 35 . LEACH LINE X 20 MM.
FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
 - 36 . SCAPELINE 16 MM.
FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
 - 37 . ARIES 16 MM.
FLOWRATES: 2.0 L/H
 - 38 . ARIES 16 MM.
FLOWRATES: 3.0 L/H
 - 39 . ARIES 16 MM.
FLOWRATES: 1.0 L/H
 - 40 . ARIES 16 MM.
FLOWRATES: 4.0 L/H



THE STANDARDS INSTITUTION OF ISRAEL

This license is valid until 31/12/2014

23/ 6 /2014

Tel Aviv

Daniel Goldstein
Director General